

Explore the next generation of Midmark® sterilizers



Designed for better:

- DURABILITY
- WORKFLOW
- COMPLIANCE



Increase Longevity

25,000 CYCLES
Gain 2.5-times longer device life than previous models.

Reduce Lifetime Cost

UP TO \$2,180 SAVINGS PER YEAR*
Save thousands per year thanks to steam-flush pressure-pulse technology that eliminates the need for HEPA filters and daily Bowie-Dick testing.

*\$7 per Bowie-Dick test x 260 working days (\$1820) + \$180 HEPA filters twice a year (\$360) = \$2,180

Enhance Workflow



3 LANGUAGES
Select English, French or Spanish for your preferred display language.*

*French and Spanish available with a future software update



LIGHTER, LARGER TRAYS
Increase usable space with a larger but lighter tray than previous models.




5-INCH TOUCHSCREEN
Navigate setup with a clear, graphical display you can utilize while wearing gloves.


Improve Efficiency

AUDIO + VISUAL INDICATORS


Determine cycle status—cycle in progress, cycle complete and cycle error—from a distance with a progressing color-coded LED light bar, large cycle-countdown clock and audible cues.



CYCLE IN PROGRESS



CYCLE COMPLETE



CYCLE ERROR



TIME-SAVING DOCUMENTATION
Help save time, simplify staff training and build instrument processing confidence with automated mechanical monitoring and chemical indicator reporting



OPTIONAL AUTOFILL + AUTO-DRAIN
Get fresh water for every cycle without burdening your team.

Reduce Stress



ONSCREEN GUIDANCE
Improve safety with touchscreen prompts that lead your team through a standardized process.



ON-DEVICE TUTORIALS
Reduce the burden of training with step-by-step tutorials.



STREAMLINED COMPLIANCE RECORDKEEPING
Stay audit-ready with device reminders and notifications, user authentication, unlimited storage of routine care events for the life of the sterilizer, and automated cycle recordkeeping.



MORE CYCLE OPTIONS

Simplify clinical workflow with dynamic-air-removal steam sterilizers that provide unique preset cycles to meet both the CDC and AAMI sterilization cycle recommendations for wrapped instruments.



WRAPPED
270°F, 4 MIN



DELICATE
250°F, 30 MIN



WRAPPED
275°F, 3 MIN



UNWRAPPED
270°F, 3 MIN



5 CUSTOM CYCLES*
250°F–275°F, 3 MIN–45 MIN

*These cycles are not FDA-cleared, and validation of the sterility of items processed using a custom cycle is the responsibility of the user.

Midmark Steam Sterilizers are designed to help make instrument processing as easy and as automated as possible.

[LEARN MORE >](#)



© 2024 Midmark Corporation, Versailles, Ohio USA
MKT-00639

